

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324

PALFINGER



CABLE HOISTS



CABLE HOISTS



Integrated Hydraulic Return Filter:

- Internal hydraulic return filter reduces chances of damage
- Easy maintenance

Removeable Sheaves and Pins:

- Improved maintenance and serviceability
- Large diameter pins help to reduce wear in heavy lifting conditions

Frame Options:

- Inside/Outside Rail
- Outside Rail Only
- Outside Rail Only – Extreme Duty

Heavy Duty Side and Rear Rollers*

- 50% larger side rollers; taller and wider
- Improved maintenance and serviceability
- Large diameter pins help to reduce wear in heavy lifting conditions
- Solid three-section rear roller
- Heavily reinforced rails

SAFETY

- Patented Folding ICC Bumper: Our patented ICC bumper automatically folds when the hoist is raised without the added complexity of another air valve or active mechanical pivots.
- Dual safety props for added protection when working under the hoist
- Dual front container locks
- Option for hydraulic automatic container locks operated through power take-off engagement





Whichever **PALFINGER** cable hoist you choose, you can be sure it will always be the right choice! All models come with the exceptional safety and performance features you have come to expect from **PALFINGER**.



CABLE HOIST

	Lift Capacity (lbs)	Dump Angle	Optimum Body Lengths	Rail Orientation	Cylinder Orientation	Material	Chassis Axle Configuration	Clean CA/CT Requirements	Min Afterframe Requirements	Min. F/R Suspension
ARB	60,000 - 75,000	48 degrees	18'-24'	Outside/Extendable	Outside	A500Gr B	Tandem	176"-194"	60"	18k/46k
ARD	60,000 - 75,000	48 degrees	18'-24'	Inside/Outside/Extendable	Outside	A500Gr B	Tandem	176"-194"	60"	18k/46k
ART	20,000 - 40,000	52-57 degrees	12'-22'	Outside/Extendable	Inside	A500Gr B	Single	120"-176"	36"	12k/40k
ART	60,000 - 75,000	51 degrees	18'-24'	Inside/Outside/Extendable	Inside	A500Gr B	Tandem	176"-194"	60"	18k/46k
ARH	75,000	47-51 degrees	18'-24'	Inside/Outside	Outside	A500Gr B	Tandem/Triaxle	176"-194"	58"	18k/46k

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324