

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324



GETTING MORE DONE™, Efficiently!



GETTING MORE DONE™, Efficiently!



GETTING MORE DONE™, Efficiently!



Walkaround Outline for the ODB DCL750TM25 Direct Drive Self-Contained Debris & Leaf Collection System

*High Power, High Capacity,
Simple, Robust,
Budget-Friendly*



- **High Power**
 - ✓ Proven 74 HP John Deere Tier 4 Engine
 - ✓ Robust, Reliable, Ready Support
- **High Capacity**
 - ✓ 25 Cubic Yard Self-Contained Hopper
- **Automotive-Style PTO Clutch**
 - ✓ Smooth and Safe Operation
- **Ball Bearings on Boom Swivel Shaft**
 - ✓ Smooth Handling.
 - ✓ Less Operator Fatigue
- **25" Shred Master™ Fan Impeller**
 - ✓ Greater compaction, less trips to dump
 - ✓ More curb miles cleaned per shift

*Only ODB's DCL750TM25 has these
premium features in this product class.*

SPECIFICATIONS: DCL750TM25

Trailer

- Bolted on Pintle Eye
- Axles: Heavy Duty Oil-Filled Leaf Spring (20,000LBS)
- Electric brakes w break away actuator
- Parking jack

Tires

- (8) 235/80R16E tires on steel wheels

Auxiliary engine

- 74 HP John Deere Tier 4
- Cool-Flow™ protective pleated and boxed radiator air screen, with tool free access
- Fuel tank 40 Gallon polyethylene

Fan / Impeller

- Direct drive
- 25" SHRED-MASTER™ Fan Standard
- Back plate protects bearings and shaft
- Self-clearing
- AR400 material
- Fans are robotically welded, stress relieved and statically and dynamically balanced

Clutch: PTO

- Automotive style; easy engage & disengage
- 2.25" shaft
- Easily adjustable

Fan housing

- Robotically welded
- Replaceable ¼" steel liners

Boom

- Ball Bearing Boom Hose Swivel, top & bottom
- Electric powered 12V boom
- Hydraulic single axis boom (up/down)
- 16" x 120" Urethane Vacuum Hose
- Steel nozzle

SPECIFICATIONS: DCL750TM25 (cont.)

Hopper Construction

- Heavy duty 12-gauge steel
- Hopper width 101.5"
- Regular perforated steel with mesh overlay vents


Rear Door

- Single side hinge door
- Manual operation
- Higher RPM faster dumping w/o fan
- Gear driven electric pump
- Dump angle 52 degrees
- LED type DOT w/ two amber flashers


Hoist

- 14,900 LB single stage cylinder, Lo-Boy® hoist
- Welded into frame


DCL750TM25



All Dimension
Are In Inches



Dry Weight
9,000 LBS.

	OLD DOMINION BRUSH CO.
PART NO. :	DCL750TM25
PART NAME:	
AUTHOR:	RTM
FILE:	DCL750TM25.iam
MATERIAL:	

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324