

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324



GETTING MORE DONE™, Efficiently!



GETTING MORE DONE™, Efficiently!



GETTING MORE DONE™, Efficiently!



Walk-Around Outline for the ODB DCL800TM

Trailer Mounted Self-Contained
Debris & Leaf Collection System

*The Trusted Workhorse
of the Industry*



- **High Performance, High-Capacity, High Compaction**
 - ✓ More Power to the Impeller per HP
 - ✓ High Vacuum, Rapid Collection
 - ✓ More Curb Miles in Less Time & Trips
 - ✓ 14, 20, 25, or 30 cubic yard options
- **ODB Operator-Centric Engineering**
 - ✓ Safer & Easier for the Operator
 - ✓ Simple Maintainability
- **ODB Proven Build Quality**
 - ✓ Robust & Reliable
 - ✓ Long Operational Life
 - ✓ 11 Gauge Box Construction
- **Patented ECO-MODE™ Available**
 - ✓ 35% Reduced Fuel Consumption

ECO-MODE™
AVAILABLE

SPECIFICATIONS: DCL800TM

Self-Contained Leaf Box Trailer

- 14CY, 20CY, 25CY, 30CY Capacity Choices
- Heavy duty fully height adjustable w/3 quick release pins

Axles

- 14CY Dual 3.5" heavy duty leaf spring - 16,000 LBS
- 20CY Dual 5" heavy duty leaf spring - 20,000 LBS
- 25/30CY Dual 5" heavy duty leaf spring - 24,000LBS
- Electric brakes w break away actuator

Tires

- 14CY (4) ST235-85R16 radial tires on steel wheels
- 20/25/30CY (8) 235/80R16E tires on steel wheels
- Parking jack

Auxiliary engine

- Kubota 3.8L 87HP Gas engine standard
- 74 HP John Deere Tier 4 - Option
- Patented ECO-MODE™ available on 2 and 3-axis equipped systems which reduces fuel consumption upwards of 35% (~3.1 fewer gal/hr, 15-18 less gallons per day), noise (50%), dust (40%), and wear & tear
- Radiator air screen Pleated and boxed protective, with tool free access
- Fuel tank 40 Gallon polyethylene

Engine/Vacuum System Skid

- Tab and Slot construction throughout
- All metal laser-cut for precision

Boom/Hose

- Single Axis: Nozzle mounted hydraulic controls
- Power-up and flow-controlled gravity down
- Nozzle mounted hydraulic controls
- 2 and 3-axis options available
- Remote control available for 2-3 axis
- Hydraulic powered 12V system
- 16"x120" HD flexible rubber vacuum hose
- Urethane vacuum hose Option
- Steel nozzle

Clutch

- PTO engage / disengage
- Automotive style 13"
- 2.25" shaft
- Drives a 4-groove power band
- Belt drive reduce shock and vibration
- Easily adjustable
- Shut off for dump mode

SPECIFICATIONS: DCL800TM (continued)

Fan / Impeller

- PTO engage / disengage
- 28" fan standard - 30% Compaction
- Option: 30" Fan - 25% Compaction
- **Option: SHRED-MASTER™ Fan – 40% Compaction**
- Scalloped design reduces decibel level
- Back plate protects bearings and shaft
- Self-clearing
- Fans are robotically welded, stress-relieved and statically & dynamically balanced
- AR400 material

Fan Housing

- Robotically welded
- Cleanout door easily accessible
- Cleanout door is safety interlocked
- Replaceable ¼" steel liners

Fan Bearings

- Proprietary Quad-Glide™ sealed bearings
- Designed in partnership with Timken engineering
- Grease zerks located outside housing with high pressure feed lines

Active Dust Control

- Bottom exhaust vents top-down street side
- Reduced velocity of air speed

Rear Door

- Barn door style
- Chipper door option
- Manual operator controlled
- Disengage fan for easier door latching
- Higher RPM faster dumping w/o fan
- Gear driven electric pump
- 15.2 Ton hydraulic hoist
- Dump angle 52 degrees
- LED type DOT w two amber flashers

Hopper Construction

- Heavy duty 11-gauge steel
- Integrated floor drainage system
- Hopper width 87"
- Regular perforated steel with mesh overlay vents
- Perforated steel vents - Option
- Paint Standard white custom available

Hoist

- 16,000 LB single cylinder
- Welded into frame

ODB's Self-Contained Leaf & Debris Collection Trailer Systems



DCL800TM Self-Contained Trailer

The Trusted Workhorse of the Industry



■ High Performance, High-Capacity, High Compaction

- ✓ More Power to the Impeller per HP
- ✓ High Vacuum, Rapid Collection
- ✓ More Curb Miles in Less Time & Trips
- ✓ 14, 20, 25, or 30 cubic yard options

■ ODB Operator-Centric Engineering

- ✓ Safer & Easier for the Operator
- ✓ Simple Maintainability

■ ODB Proven Build Quality

- ✓ Robust & Reliable
- ✓ Long Operational Life
- ✓ 11 Gauge Box Construction



SPECIFICATIONS: DCL800TM

Self-Contained Leaf Box Trailer

- 14CY, 20CY, 25CY, 30CY Capacity Choices
- Heavy duty fully height adjustable w/3 quick release pins

Auxiliary Engines

- Kubota 3.8L 87HP Gas engine standard
- OPTION: 74 HP John Deere Tier 4 - Option
- OPTION: ECO-MODE Patented system control which reduces fuel (35%), noise (50%), dust (40%), & wear.
- Pleated and boxed protective radiator air screen, with tool free access

Boom/Hose

- Single Axis: Nozzle mounted hydraulic controls
- OPTION: Remote Control 2 Axis or 3-axis

Automotive Style Clutch

- PTO engage / disengage - Easily adjustable
- 4-Groove Belt drive reduce shock and vibration
- Easily adjustable

Fan / Impeller

- Self-clearing 28" fan standard - 30% Compaction
- Option: Shred Master™ Fan - 40% Compaction
- Back plate protects bearings and shaft

Fan Bearings

- Proprietary Quad-Glide™ sealed bearings designed in partnership with Timken Engineering

Hopper Construction

- Barn Style Rear Door
- Heavy duty 11-gauge steel
- Integrated floor drainage system
- Hopper width 87"

Hoist

- 16,000 LB single cylinder
- Welded into frame



ODB's Self-Contained Leaf & Debris Collection Trailer Systems



ODB DCL750TM25 Self-Contained Trailer

High Power, High Capacity, Simple, Robust, Budget-Friendly

25 yd³ Direct Drive Self-Contained Debris Collector

- High Power
 - ✓ Proven 74 HP John Deere Tier 4 Engine
 - ✓ Robust, Reliable, Supportable
- High Capacity
 - ✓ 25 cyd Self-Contained Hopper
- Automotive-Style PTO Clutch
 - ✓ Smooth and Safe Operation
- Ball Bearings on Boom Swivel Shaft
 - ✓ Smooth Handling
 - ✓ Less Operator Fatigue
- 25" SHRED-MASTER™ Fan Impeller
 - ✓ Greater compaction, less trips to dump
 - ✓ More curb miles cleaned per shift

**Only ODB's
750TM25 has
these premium
features in this
product class**



DCL8031 Compact Trailer Mount

ODB's Most Compact & Lightweight Self-Contained Debris Collection Trailers

- Kubota 24HP Diesel Engine
 - ✓ Economical Operation
- Belt-Driven Engineering at an Affordable Price
 - ✓ High Reliability, High Performance, Ease of Operation
- Lightweight – Non-CDL Trailering
 - ✓ Maneuverability in Tight Spots
- ODB Operator-Centric Engineering
 - ✓ Safer & Easier for the Operator
 - ✓ Simple Maintainability
- ODB Proven Build Quality
 - ✓ More Reliable, Long Operational Life
 - ✓ 11 Gauge Box Construction



**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324