

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324



Walkaround Outline for the ODB DCL8031

ODB's Most Compact & Maneuverable Trailer Mounted Self-Contained Debris & Leaf Collection System



Hitch:

- Overview on ODB/XtremeVac™ DCL8031
- Hook lift version
- Trailer

Left Front Tire:

- Hopper
- Aux Engine
- Hydraulics

Left side of Unit:

- Vents

Rear of unit:

- Rear door

Right Side of unit:

- Boom
- Clutch
- Controls

After demonstration

- Ask questions
- Ask for order
- Provide follow up information

SPECIFICATIONS: DCL8031

8031 – Diesel Auxiliary Engine

- Kubota liquid-cooled,
- 24HP, 3-cyl diesel engine
- Final Tier 4

G.V.W. 4,600 lbs.

Trailer

- Pintle Eye
- Heavy duty fully height adjustable w/3 quick release pins
- Tandem Torflex axles, 12,000 LBS
- Electric brakes w break away actuator
- LED DOT lighting

Tires

- (4) ST225-75R15 radial tires on steel wheels
- Parking jack with drop foot, hydraulic jack option

Engine Related

- Pull out radiator screen
- Instrument panel with engine controls and gauges
- Fuel tank 12 Gallon polyethylene

Engine/Vacuum System Skid

- Tab and Slot construction throughout
- All metal laser-cut for precision

Hopper Construction

- Heavy duty 11-gauge steel
- Integrated floor drainage system
- Hopper width 87"
- Perforated stainless steel vents
- Regular perforated steel with mesh overlay vents
- Paint Standard white custom available

Active Dust Control Option

- Top exhaust scoop to direct air to side - Option

SPECIFICATIONS: DCL8031 (continued)

Boom/Hose

- Manual swing overhead, hydraulic boom option
- 12" x 120" Urethane Vacuum Hose
- Steel nozzle

Clutch

- PTO engage / disengage
- Automotive style 13"
- 2.25" shaft
- Belt drive reduces shock and vibration
- Easily adjustable

Fan / Impeller

- Manual engage / disengage via over center cam
- 20" fan standard
- Option: Shred Master™ Fan – high compaction, high capacity
- Self-clearing
- Scalloped design reduces decibel level
- Back plate protects bearings and shaft
- AR400 material
- Fans are robotically welded, stress-relieved and statically & dynamically balanced

Fan housing

- Robotically welded
- Cleanout door is safety interlocked
- Replaceable ¼" steel liners

Fan Bearings

- Proprietary Quad-Glide™ sealed bearings
- Designed in partnership with Timken engineering
- Grease zerks located outside housing with high pressure feed lines

Rear Door

- Barn door style
- Chipper door option
- Manual operator controlled
- Gear driven pump
- 7 Ton hydraulic hoist
- Dump angle 52 degrees
- LED type DOT w amber flashers

Hoist

- 14,000 LB single cylinder
- Hydraulic powered 12V system
- Welded into frame

ODB's Self-Contained Leaf & Debris Collection Trailer Systems



DCL800TM Self-Contained Trailer

The Trusted Workhorse of the Industry



■ High Performance, High-Capacity, High Compaction

- ✓ More Power to the Impeller per HP
- ✓ High Vacuum, Rapid Collection
- ✓ More Curb Miles in Less Time & Trips
- ✓ 14, 20, 25, or 30 cubic yard options

■ ODB Operator-Centric Engineering

- ✓ Safer & Easier for the Operator
- ✓ Simple Maintainability

■ ODB Proven Build Quality

- ✓ Robust & Reliable
- ✓ Long Operational Life
- ✓ 11 Gauge Box Construction



SPECIFICATIONS: DCL800TM

Self-Contained Leaf Box Trailer

- 14CY, 20CY, 25CY, 30CY Capacity Choices
- Heavy duty fully height adjustable w/3 quick release pins

Auxiliary Engines

- Kubota 3.8L 87HP Gas engine standard
- OPTION: 74 HP John Deere Tier 4 - Option
- OPTION: ECO-MODE Patented system control which reduces fuel (35%), noise (50%), dust (40%), & wear.
- Pleated and boxed protective radiator air screen, with tool free access

Boom/Hose

- Single Axis: Nozzle mounted hydraulic controls
- OPTION: Remote Control 2 Axis or 3-axis

Automotive Style Clutch

- PTO engage / disengage - Easily adjustable
- 4-Groove Belt drive reduce shock and vibration
- Easily adjustable

Fan / Impeller

- Self-clearing 28" fan standard - 30% Compaction
- Option: Shred Master™ Fan - 40% Compaction
- Back plate protects bearings and shaft

Fan Bearings

- Proprietary Quad-Glide™ sealed bearings designed in partnership with Timken Engineering

Hopper Construction

- Barn Style Rear Door
- Heavy duty 11-gauge steel
- Integrated floor drainage system
- Hopper width 87"

Hoist

- 16,000 LB single cylinder
- Welded into frame



ODB's Self-Contained Leaf & Debris Collection Trailer Systems



ODB DCL750TM25 Self-Contained Trailer

High Power, High Capacity, Simple, Robust, Budget-Friendly

25 yd³ Direct Drive Self-Contained Debris Collector

- High Power
 - ✓ Proven 74 HP John Deere Tier 4 Engine
 - ✓ Robust, Reliable, Supportable
- High Capacity
 - ✓ 25 cyd Self-Contained Hopper
- Automotive-Style PTO Clutch
 - ✓ Smooth and Safe Operation
- Ball Bearings on Boom Swivel Shaft
 - ✓ Smooth Handling
 - ✓ Less Operator Fatigue
- 25" SHRED-MASTER™ Fan Impeller
 - ✓ Greater compaction, less trips to dump
 - ✓ More curb miles cleaned per shift

**Only ODB's
750TM25 has
these premium
features in this
product class**



DCL8031 Compact Trailer Mount

ODB's Most Compact & Lightweight Self-Contained Debris Collection Trailers

- Kubota 24HP Diesel Engine
 - ✓ Economical Operation
- Belt-Driven Engineering at an Affordable Price
 - ✓ High Reliability, High Performance, Ease of Operation
- Lightweight – Non-CDL Trailering
 - ✓ Maneuverability in Tight Spots
- ODB Operator-Centric Engineering
 - ✓ Safer & Easier for the Operator
 - ✓ Simple Maintainability
- ODB Proven Build Quality
 - ✓ More Reliable, Long Operational Life
 - ✓ 11 Gauge Box Construction



**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324