



EZPackTrucks.com

APOLLO A300C Mid-Range Rear Loader



Large Hopper, Low Loading Height, “E-Z Load” Productivity.

Where maximum mobility meets highest productivity in a mid-range hopper. Filled with E-Z Pack durability, reliability and features, the Apollo A300C rear loader offers quick cycle times and three modes of compaction. The A300C packs a punch well above its weight. It's mid-range capacity with a heavy-duty attitude.

Science of Simplicity™

- Simple, straightforward controls make training/operation easy
- Minimal hydraulic and electric lines, junctions and fittings
- Simplified field diagnosis and repair
- No complex computers or PLC to fail

Maximum Payloads and Productivity

- Smart steel engineering reduces overall weight for max payloads
- Customer-tuned Product Optimization

In-the-field Reliability and Durability

- 10/60/20 Testing and Validation™
- Zinc-dichromate-plated tubing/unpainted hydraulic lines

Also available with patent-pending, Integrated CNG Fuel System.

The E-Z Pack Difference

Operator-Owned and -Led

- Entrepreneurial
- Understand the jobsite environment
- Actively listen to customers

Customer-tuned Product Optimization

- Customer collaboration/input
- From-the-field innovation
- Full product/customization

Unwavering Customer Support

- Accessible/knowledgeable support staff
- Wide OEM parts availability
- Quick shipping/technical support

Commitment to Continuous Improvement

- Lean, advanced manufacturing
- Gated QC processes
- 10/60/20 Testing and Validation™

859.234.1100

Apollo A300C Mid-Range Rear Loader



Standard Features

- Manual Controls
- Tailgate Props
- Back-up Alarm
- Body Lifting Eyes
- High Mount Light Package
- ICC Lights and Reflectors Meet DOT Requirements
- Non-Skid Riding Steps at Rear Corners of Tailgate
- Streetside and Curbside Buzzers
- Automatic Latch-Unlatch Tailgate

Optional Equipment

- Air Shift or Hot Shift PTO's
- Street-side Access Door
- Front Mount Pump
- Dual Hopper Flood Lights
- Rear Body Side Liner
- 10,000 lb. (4536 kg) Overhead Winch*
- 14,000 lb. (6350 kg) Reeving Cylinder Winch*
- System Pressure Gauge
- 1-3 Yard (.76 - 2.3 m³) Hydraulic Container Attachment


Operational Features

- COMPACTION CYCLE: Manual hydraulic, automatic split cycle, fully reversible
- CYCLE TIME: 26 seconds, reload @ 9 seconds
- PACKER PANEL: Curved, one-piece construction
- EJECTOR PANEL: Travels in steel guide shoes, floor-level track
- PACKING CYLINDERS: Positioned away from refuse for trouble-free operation
- EJECTOR CYLINDER: Heavy-duty, double-acting, telescopic

* Optional Container Dumping Devices Handle Containers up to 10 Cubic Yards (7.6 m³)

E-Z Pack Refuse Hauling Solutions, LLC, reserves the right under its Product Improvement Program to modify construction and/or design and furnish equipment without reference to illustrations and specifications shown herein. All specifications are subject to change without notice.

Specifications



MODEL	A300C-16	A300C-18	A300C-20
CAPACITY	16 yds. ³ (13.8 m ³)	18 yds. ³ (13.8 m ³)	20 yds. ³ (15.3 m ³)
A CAB TO TRUNNION (CT)	NA	NA	126" - 132" (3200 - 3353 mm)
B CAB TO AXLE	105" - 111" (2667 - 2820 mm)	120" - 126" (3048 - 3200 mm)	138" - 144" (3505 - 3658 mm)
C DECK LENGTH CLEAR PLATFORM	140" (3553 mm)	155" (3937 mm)	170" (4318 mm)
D LENGTH (Including Tailgate)	218" (5537 mm)	233" (5664 mm)	238" (6045 mm)
E LENGTH (Tailgate Raised)	247" (6274 mm)	262" (6655 mm)	277" (7036 mm)
F HEIGHT (Tailgate Raised)	156" (3962 mm)		
G HEIGHT (Above Chassis Frame)	90.25" (2292 mm)		
H INSIDE WIDTH (Body)	91" (2311 mm)		
I LOADING HEIGHT (Below Frame)	Up to 5.5" (140 mm) below chassis frame		
J LOADING OPENING	80" (2032 mm) x 58" (1473 mm) high		
K OUTSIDE WIDTH	96" (2438 mm)		
HOPPER CAPACITY	43 yds. ³ (2.3 m ³)		
WEIGHT	9,350 lbs. (4241 kg)	10,050 lbs. (4559 kg)	10,800 lbs. (4899 kg)

Chassis specifications listed are intended as general guidelines only. Each chassis selection should be made on an analysis of the weight distribution for the particular chassis/body combination including optional equipment and anticipated payloads. CNG Models add 14" to length dimensions. Consult factory for CNG systems greater than 60 DGE; Booster pod may require additional length.

CONSTRUCTION AND OPERATIONAL DETAILS

Body Floor	7 ga. (4.55 mm) 50,000 PSI
Body Sides	7 ga. (4.55 mm) 100,000 PSI
Body Roof	10 ga. (3.42 mm) 50,000 PSI
Ejector Panel	7 ga. (4.55 mm) 50,000 PSI
Hopper Floor	1/4" Plate (6.35 mm) 155,000 min. 400 BHN
Hopper Sides (Lower)	1/4" (6.35 mm) 100,000 PSI
Hopper Sides (Upper)	7 ga. (4.55 mm) 50,000 PSI
Packing Panel	7 ga. (4.55 mm) 50,000 PSI

HYDRAULIC SYSTEM

Packing Cylinders (2) w/Induction Hardened Rod & Steel Rod Wipers	4-1/2" (140 mm) (D.A.)
Sweep Cylinders (2) w/Induction Hardened Rod & Steel Rod Wipers	4" (102 mm) (D.A.)
Tailgate Cylinders (2)	3" (76 mm) (D.A.)
Ejector Cylinder (1)	18 Yd. - 5-1/2" (140 mm) 2-Stage (D.A.)
	20 Yd. - 5-1/2" (140 mm) 2-Stage (D.A.)
	25 Yd. - 5-1/2" (140 mm) 3-Stage (D.A.)
Hydraulic Oil Tank	37 Gallons (140 Liters)
Hydraulic Pump	27 G.P.M. @ 1,200 RPM (102 Liter/Min.)
Hydraulic Filters	Suction — 100 Mesh / Return — 3 Micron
System Operating Pressure	2,500 PSI

SPECIAL NOTE:

- 1) PTO Requirements are 39 HP @ 1,200 RPM (Torque Rating 212 ft. lbs.) Minimum
- 2) Chassis MUST be equipped with diesel engine and requires variable speed governor with body builders connection for engine remote throttle, programmed and preset to approximately 1,400 RPM.
- 3) Chassis lighting must be set up and programmed for heavy-duty package and duplicate independent stop and turn signals

859.234.1100 • EZPackTrucks.com

E-Z Pack Refuse Hauling Solutions, LLC • 200 Ladish Road, Cynthiana, KY 41031

A Commercial Specialty Truck Holdings, LLC Company.

**Sanitary
Equipment**
Co., Inc.



NEW ENGLAND'S LEADER IN THE REFUSE & ENVIRONMENTAL EQUIPMENT INDUSTRY

Get it done right, the first time

ABOUT US

Second generation, family owned since 1977, Sanitary Equipment Co. delivers trusted contractor & municipal equipment solutions backed by decades of experience and dedicated customer service.

OUR MISSION

To provide durable, reliable equipment and responsive support so contractors and municipalities can depend on us for the long term.

CONTACT US

West Haven, CT
25 Industry Drive
West Haven, CT 06516

Walpole, MA
23 Renmar Avenue
Walpole, MA 02081

Phone
203-933-9599

Email
sales@sanitaryequipment.com



**SCAN
QR CODE**
to learn
more

www.sanitaryequipment.com



LABRIE

Automated side loaders, front loaders, and rear loaders equipped with advanced packer systems, engineered for durability, efficiency, and consistent performance in municipal and commercial refuse service.



LEACH

Rear loader refuse bodies designed for commercial and municipal collection, known for durable construction, efficient compaction and reliable performance on daily routes.



GALFAB

Cable hoist systems for roll off containers, engineered for contractor and municipal hauling with heavy duty construction, smooth operation and long term durability.



LOADMASTER

Rear loader refuse bodies for commercial and municipal collection, engineered for rugged construction, efficient compaction and dependable performance on demanding daily routes.



KANN

Rear load and front load refuse bodies engineered for commercial and municipal refuse collection programs, offering robust construction, efficient compaction and dependable performance in daily service.



AMERICAN ROLL OFF

Cable hoist systems for roll off containers, designed for municipal and contractor hauling with straightforward operation, rugged construction and long term reliability.



MARATHON

Stationary and self contained compactors, for municipal and commercial waste handling, known for rugged construction and long service life.



PALFINGER

Hooklift systems, container carriers, and grapple loaders delivering flexible hauling solutions for contractor and municipal operations.



STELLAR

Hooklift systems and service bodies for interchangeable body hauling and fleet support applications, offering flexible configurations for contractor, utility and municipal operations.




DIG PIG

Hydro excavation and sewer cleaning nozzles, engineered for aggressive cutting, reduced noise and efficient debris removal in demanding applications.



HYDRAFLEX

Hydro excavation and sewer cleaning nozzles, designed to improve efficiency, safety and performance in vacuum truck operations.



KEG

Sewer cleaning nozzles engineered for high performance pipe cleaning, delivering effective blockage removal, durability and consistent results in demanding applications.



ODB

Chassis mounted and trailer mounted vacuum systems for leaf, litter, and catch basin cleanup, delivering reliable performance for municipal maintenance operations.



CUES

Pipeline inspection cameras, robotic crawlers, and sewer inspection systems for industrial and municipal applications, supporting accurate condition assessment and efficient underground asset management.



SONETICS

Wireless communication headsets and crew intercom systems designed for high noise environments, improving safety, coordination and productivity for vacuum truck and field operations.



VAC CON

Combination sewer cleaners, hydro excavators, jet trucks, and trailers engineered for contractor and municipal applications, providing powerful debris removal, efficient operation, and proven reliability.

**NEW ENGLAND'S LEADER IN THE REFUSE &
ENVIRONMENTAL EQUIPMENT INDUSTRY**

Get it done right, the first time



**SCAN
QR CODE
TO LEARN
MORE**



West Haven, CT
25 Industry Drive
West Haven, CT 06516

Walpole, MA
23 Renmar Avenue
Walpole, MA 02081

Phone
203-933-9599

Email
sales@sanitaryequipment.com

www.sanitaryequipment.com