

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324



MANUFACTURING CORPORATION

REFUSE & RECYCLING BODY COMPANY

Established 1946

PACK MASTER SERIES

Model RL

Rear Loader



KANN Manufacturing Corporation

210 Regent Street
Post Office Box 400
Guttenberg, IA 52052 USA

KANN Model	Body			Configuration	Chassis	
	Body Volume yd ³	Tailgate Volume yd ³	Total Volume yd ³		Minimum Axle Ratings GVWR lbs (kgs)	Cab to Axle (CA) Distance Inch (mm)
RL6	6	3	9	4x2	19,500 (8,845)	86 (2185)
RL8	8	3	11	4x2	26,000 (11,800)	108 (2743)
RL11	11	3	14	4x2	26,000* (11,800)	108 (2743)
RL15	15	3	18	4x2	30,000 (13,636)	138 (3505)
RL20	20	3	23	6x4	34,000 (15,454)	144 (3658)
RL25	25	3	28	6x4	34,000 (15,455)	174 (4420)

Notes: - *Minimum axle requirements for the RL8 & RL11 is 10,000 lb. front axle, 23,000 lb. rear axle and the chassis De-Rated to a 26,000 lb. GVWR non-CDL
- *CA distance for 6x4 chassis is from back of chassis cab to the center of the tandem set with 50" spacing

Phone 563-252-2035
Fax 563-252-3069

Email sales@kannmfg.com
Web www.kannmfg.com



MANUFACTURING CORPORATION

REFUSE & RECYCLING BODY COMPANY

Established 1946

PACK MASTER SERIES

Model RL

High Compaction Rear Loader

STANDARD FEATURES

PERFORMANCE

- 23 Second Unload Dump Cycle
- 17 Second Packing Cycle Time
- 850 lbs./yd³ Payload on Average

STANDARD FEATURES

- Five Body Sizes Available 11, 15, 20, 25 and 28 yd³
- 3.0 yd³ Hopper Capacity
- 86 Inch Body Height
- 96 Inch Body Width
- PTO or Front Mount Pump
- Overspeed Protection
- Standard Wiring Package, Auto Reset Circuit Breakers and all Wiring Loom Protected
- Standard LED Light Package Complies with DOT/FMVSS Standards
- Dual Tailgate Safety Props
- Manual Controls

STANDARD FEATURES Continued

- Compression Control Hybrid Valve Packer Panel
- Tailgate Ajar/Over Height Alarm
- Sight Temperature Gauge
- Hydraulic Overheat Alarms
- Hydraulic Tailgate Locks
- Hydraulic Suction Line Shut-off Valve
- 100 Mesh Suction Strainer
- 10 Micron In-line Return Filter
- 50 Gallon Reservoir Tank
- White PPG Paint over Primer

OPTIONS

- Cart Tipper Attachment
- 20 lb. Fire Extinguisher
- TL4 Hydraulic Container Locker
- Camera – Single or Dual
- Safety Work Light Package
- Customized Paint and Decals
- Spill Kit Package
- KANN Trough or Side Dump Containers for collection of additional commodities



The Kann Rear Loader is designed so it can easily be shipped loose and mounted on a chassis at the customers' location.



Kann Manufacturing also manufactures a full range of containers that can be mounted in front of the Kann High Compaction Rear Loader to make for a simple and economical multi-commodity collection unit.

KANN Manufacturing Corporation

210 Regent Street
Post Office Box 400
Guttenberg, IA 52052 USA

Phone 563-252-2035 Email sales@kannmfg.com
Fax 563-252-3069 Web www.kannmfg.com

***** The KANN PACK MASTER Series High Compaction Rear Loader is light in weight but with the strategically structured design makes it mighty in compaction*****

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324