

**Sanitary  
Equipment  
Co., Inc.**

# SALES PARTS SERVICE

**DO IT RIGHT THE FIRST TIME**

Committed to delivering equipment  
that meets immediate needs  
and exceeds expectations  
for years to come.



## INDUSTRY LEADING EQUIPMENT



**SHOP OEM PARTS AT [SANITARYEQUIPMENT.COM](http://SANITARYEQUIPMENT.COM)**

25 Industry Dr  
West Haven, CT 06516  
(203) 933-9599

1140 Turnpike St., Unit 3&4  
Stoughton, MA 02072  
(855) 373-7324



# Automizer Full Eject

*When a Tip-to-Dump Truck is Not an Option*

- 19 yd<sup>3</sup> to 32 yd<sup>3</sup> body sizes available
- Up to 850 lbs/yd<sup>3</sup> compaction
- Single piece body walls for increased strength and seamless appearance
- Best in class Right-Hand™ Arm with 12 foot reach and 1000 lb lifting capacity. (95 and 300 gal. available)
- In-line arm design combined with a large 6.5yd<sup>3</sup> hopper for smooth, low dumping and effortless maneuverability
- Tapered body for improved compaction and easy unloading
- Durascope nitrated packer & ejector cylinder
- Multiplex electrical system with Onboard diagnostic tools for easy troubleshooting
- Fully integrated Labrie CNG systems - roof, tailgate and back of cab mount - 50 to 100 DGE available
- Packer T-track guide system extends packer and wear component life



## Body Specifications

|                         |                        |
|-------------------------|------------------------|
| Body Trough             | 3/16" AR450 175,000psi |
| Body Trough wear plates | 1/4" AR500 190,000psi  |
| Body Floor              | 3/16" 100QT 100,000psi |
| Body Floor wear plates  | 1/4" AR500 190,000psi  |
| Body Sides (lower)      | 3/16" 100QT 100,000psi |
| Body Roof               | 12ga A1011 80,000psi   |
| Tailgate                | 12ga A1011 80,000psi   |

## Hopper Specifications

|                                |                        |
|--------------------------------|------------------------|
| Hopper Size (yd <sup>3</sup> ) | 6.5                    |
| Hopper Trough                  | 3/16" AR450 175,000psi |
| Hopper Trough wear plates      | 1/4" AR500 190,000psi  |
| Hopper Floor                   | 3/16" 100QT 100,000psi |
| Hopper Floor wear plates       | 1/4" AR500 190,000psi  |
| Hopper Sides (lower)           | 3/16" 100QT 100,000psi |

## Hydraulic Specifications

|                         |                                                 |
|-------------------------|-------------------------------------------------|
| Pump Make & Model       | Dual Vane                                       |
| Pump Capacity           | BODY: 24.5 gpm@700 rpm<br>ARM: 16.3 gpm@700 rpm |
| Max. Operating Pressure | 2,500 psi                                       |
| Oil Reservoir           | 84 gal                                          |

## Arm Specifications

|                   |                                                |
|-------------------|------------------------------------------------|
| Arm Lift Capacity | 1,000 lbs                                      |
| Arm Reach         | 144"                                           |
| Swing out         | 36"                                            |
| Arm Controls      | Proportional joystick, electric over hydraulic |

## Packer Specifications

|                                         |                       |
|-----------------------------------------|-----------------------|
| Compaction ratio (lbs/yd <sup>3</sup> ) | 850                   |
| Packer Panel Face Plate                 | 1/4" 100QT 100,000psi |
| Packer Width                            | 63in                  |
| Packer Height                           | 24in                  |
| Packer Stroke                           | 52in                  |

Note: Specifications subject to change without notice





# Automizer Full Eject



## Performance Specifications

|                      |                         |
|----------------------|-------------------------|
| Arm In (96" reach)   | 2.0 sec @ 700 rpm       |
| Arm In (144" reach)  | 3.0 sec @ 700 rpm       |
| Arm Out (96" reach)  | 2.2 sec @ 700 rpm       |
| Arm Out (144" reach) | 3.3 sec @ 700 rpm       |
| Arm Up               | 3.0 - 3.6 sec @ 700 rpm |
| Arm Down             | 2.5 - 3.0 sec @ 700 rpm |

|                       |                         |
|-----------------------|-------------------------|
| Grabber Open          | 1.5 - 2.0 sec @ 700 rpm |
| Grabber Close         | 1.5 - 2.0 sec @ 700 rpm |
| Packer complete cycle | 16.5 sec @ 1500 rpm     |
| Tailgate Open         | 21 sec @ 700 rpm        |
| Tailgate Close        | 26 sec @ 700 rpm        |
| Crusher panel Up      | 5sec @ 700 rpm          |
| Crusher panel Down    | 4sec @ 700 rpm          |



## Body Dimensions

|                                                                    | 19yd <sup>3</sup><br>(19+0) | 21yd <sup>3</sup><br>(19+2) | 23yd <sup>3</sup><br>(19+4) | 25yd <sup>3</sup><br>(19+6) | 26yd <sup>3</sup><br>(26+0) | 28yd <sup>3</sup><br>(26+2) | 30yd <sup>3</sup><br>(26+4) | 32yd <sup>3</sup><br>(26+6) |
|--------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| A. Overall Length, Tailgate Closed (in.)                           | 254                         | 260                         | 273                         | 288                         | 294                         | 300                         | 313                         | 328                         |
| Overall Width (in.)                                                | 102                         | 102                         | 102                         | 102                         | 102                         | 102                         | 102                         | 102                         |
| B. Overall Height Above Frame, Tailgate Closed (in.)               | 106                         | 106                         | 106                         | 106                         | 106                         | 106                         | 106                         | 106                         |
| C. Overall Length, Tailgate Opened (in.)                           | 304                         | 304                         | 304                         | 304                         | 344                         | 344                         | 344                         | 344                         |
| D. Overall Height Above Frame, Tailgate Opened (in.)               | 199                         | 199                         | 199                         | 199                         | 199                         | 199                         | 199                         | 199                         |
| E. Overall Height Above Frame When Dumping (in.)                   | 113                         | 113                         | 113                         | 113                         | 113                         | 113                         | 113                         | 113                         |
| F. Overall Width, Arm Out, Grabber Closed (in.)                    | 243                         | 243                         | 243                         | 243                         | 243                         | 243                         | 243                         | 243                         |
| G. Overall Width, Arm In, Grabber Closed (in.)                     | 137                         | 137                         | 137                         | 137                         | 137                         | 137                         | 137                         | 137                         |
| H. Overall Width, Arm In, Grabber Open (in.)                       | 101                         | 101                         | 101                         | 101                         | 101                         | 101                         | 101                         | 101                         |
| I. Distance between bottom of Grabber and chassis frame rail (in.) | 25                          | 25                          | 25                          | 25                          | 25                          | 25                          | 25                          | 25                          |



labriepius  
SERVICE & PARTS

DRIVE EXCELLENCE™



**Sanitary  
Equipment  
Co., Inc.**

# SALES PARTS SERVICE

**DO IT RIGHT THE FIRST TIME**

Committed to delivering equipment  
that meets immediate needs  
and exceeds expectations  
for years to come.



## INDUSTRY LEADING EQUIPMENT



**SHOP OEM PARTS AT [SANITARYEQUIPMENT.COM](http://SANITARYEQUIPMENT.COM)**

25 Industry Dr  
West Haven, CT 06516  
(203) 933-9599

1140 Turnpike St., Unit 3&4  
Stoughton, MA 02072  
(855) 373-7324