Excel & Excel-S



LOADMASTER™

www.loadmaster.org

906.563.9226

LOADMASTER™

High Compaction High Performance

The *EXCEL* and *EXCEL-S* is our high compaction rugged performance body. With a 1000-1250 pound per cubic yard compaction rate and large 3.7 cubic yard hopper the Excel body is a productive machine. With multiple container handling, cart tippers, strobe lights, and other options we can meet your refuse and recycling needs.



906.563.9226



www.loadmaster.org

LOADMASTER™

A plethora of options available to customize your truck the way you like. We have created many different convenience options to help maintain and operate the truck. Everything from remote grease lines to cart tippers and commercial container handling equipment

Large 3.7 cubic yard hopper size and a fast 22-23 second cycle time the Excel will keep you moving. The combination of the large hopper and fast cycle time means you will be spending less time waiting for the body to catch up.

Robust hopper designed to last. 3/16" TP100 lower hopper walls and 1/4" AR400 hopper floor for superior abrasion resistance.



906.563.9226




Bodies available in sizes 20,25,27,31,33 made with 8 gauge body sides and roof our bodies are built to last.

Body side access door and ladder standard for ease of access to the hydraulics at the front of the body. Optional dual clean out doors available (not pictured).

Chip guard above tires and undercoating under body is standard for rust prevention in high risk areas.

LOADMASTER™

Excel-S



Dimensional Specifications

1	Available Body Volumes	S 20 yd	S 25 yd	S 27 yd	S 31 yd	S 33 yd
②	Height Above Chassis Frame	93 1/2”	93 1/2”	93 1/2”	93 1/2”	93 1/2”
③	Depth of Hopper	20 1/4”	20 1/4”	20 1/4”	20 1/4”	20 1/4”
④	Hopper Below Chassis Frame	24 1/4”	24 1/4”	24 1/4”	24 1/4”	24 1/4”
⑤	Hopper Inside Width	75”	75”	75”	75”	75”
⑥	Hopper Opening Height	60”	60”	60”	60”	60”
⑦	Overall Length	262”	288”	301”	328”	340”
⑧	Overall Width	95 3/4”	95 3/4”	95 3/4”	95 3/4”	95 3/4”
⑨	Rear of Body to Rear of Tailgate	94”	94”	94”	94”	94”
10	Approximate Body Weight (lbs.)	15,100	16,000	16,400	17,200	17,500
11	Load Sill Below Chassis Frame	4”	4”	4”	4”	4”
12	Hopper Capacity	3.7 yd	3.7 yd	3.7 yd	3.7 yd	3.7yd
13	Height Above Frame (With Gate Raised)	184	184	184	184	184

Standard Material Specifications

Body Sides	8 gauge grade 80
Body Floor	3/16”
Body Roof	8 gauge grade 80
Floor Longitudinals	3” x 8” x 1/4” boxed channel
Ejector Track channel	1/4” elevated channel
Lower Tailgate Sides	3/16” T-1
Upper Tailgate Sides	3/16“ in sweep zone 10 gauge above
Hopper Floor	1/4” T-1
Separator Panel	3/16” T-1 abrasion resistant
Ejector Face Panel	3/16” Grade 50
Ejector Shoes	Nylatron GSM
Sweep Face Panel	1/4” T-1 alloy
Slide Face Panel	3/16” Grade 80
Slide Blade Shoes	Nylatron NSM and UHMW


Chassis Recommendations

Body Size	Min. GVWR	Min. Front AWR	Min. Rear AWR	CT	Min. AF
S 20 yd	46,000	12,000	34,000	132”	26”
S 25 yd	52,000	12,000	40,000	158”	26”
S 27 yd	54,000	12,000	42,000	170”	26”
S 31 yd	60,000	16,000	44,000	192”	26”
S 33 yd	62,000	18,000	44,000	204”	26”

Loadmaster’s dedication to customer service and satisfaction means we will modify and customize options and features to meet the unique demands of any customer’s route. To learn more about what Loadmaster can do for you, give your local dealership a call.

906.563.9226

Excel



Dimensional Specifications

Available Body Volumes	20 yd	25 yd	31 yd
Height Above Chassis Frame	93 1/2”	93 1/2”	93 1/2”
Depth of Hopper	20 1/4”	20 1/4”	20 1/4”
Hopper Below Chassis Frame	24 1/4”	24 1/4”	24 1/4”
Hopper Inside Width	75”	75”	75”
Hopper Opening Height	60”	60”	60”
Overall Length	274”	304”	351”
Overall Width	95 3/4”	95 3/4”	95 3/4”
Rear of Body to Rear of Tailgate	94”	94”	94”
Approximate Body Weight (lbs.)	15,100	16,000	17,200
Load Sill Below Chassis Frame	4”	4”	4”
Hopper Capacity	3.7 yd	3.7 yd	3.7 yd
Height Above Frame (With Gate Raised)	184	184	184

Chassis Recommendations

	Min. GVWR	Min. Front AWR	Min. Rear AWR	CT	Min. AF
	46,000	12,000	34,000	140”	26”
	52,000	12,000	40,000	174”	26”
	60,000	16,000	44,000	208”	26”


Standard Material Specifications

Body Sides	8 gauge grade 80
Body Floor	7 gauge
Body Roof	8 gauge grade 80
Floor Longitudinals	3” x 8” x 1/4” boxed channel
Ejector Track channel	1/4” elevated channel
Lower Tailgate Sides	3/16” T-1
Upper Tailgate Sdies	3/16“ in sweep zone
	10 gauge above
Hopper Floor	1/4” T-1
Separator Panel	3/16” T-1 abrasion resistant
Ejector Face Panel	10ga high tensile
Ejector Shoes	UHMW main shoes Nylatron GSM
Sweep Face Panel	1/4” T-1 alloy
Slide Face Panel	7 gauge Grade 80
Slide Blade Shoes	Nylatron NSM & UHMW

Loadmaster’s dedication to customer service and satisfaction means we will modify and customize options and features to meet the unique demands of any customer’s route. To learn more about what Loadmaster can do for you, give your local dealership a call.

LOADMASTER™

100 9th Ave.
P.O. Box 186
Norway, MI 49870
Proudly made in Norway, Michigan



Loadmaster reserves the right to change specifications without notice and without obligation to install them on units sold. Information published is informational only and shall not be construed to warrant suitability of the unit for any particular purpose as performance may vary with the conditions encountered. Illustrations shown may include optional equipment and accessories, and may not include all standard equipment.

Sanitary Equipment Co., Inc.



NEW ENGLAND'S LEADER IN THE REFUSE & ENVIRONMENTAL EQUIPMENT INDUSTRY

Get it done right, the first time

ABOUT US

Second generation, family owned since 1977, Sanitary Equipment Co. delivers trusted contractor & municipal equipment solutions backed by decades of experience and dedicated customer service.

OUR MISSION

To provide durable, reliable equipment and responsive support so contractors and municipalities can depend on us for the long term.

CONTACT US

West Haven, CT
25 Industry Drive
West Haven, CT 06516

Walpole, MA
23 Renmar Avenue
Walpole, MA 02081

Phone
203-933-9599

Email
sales@sanitaryequipment.com

SCAN QR CODE to learn more

www.sanitaryequipment.com



LABRIE

Automated side loaders, front loaders, and rear loaders equipped with advanced packer systems, engineered for durability, efficiency, and consistent performance in municipal and commercial refuse service.



LEACH

Rear loader refuse bodies designed for commercial and municipal collection, known for durable construction, efficient compaction and reliable performance on daily routes.



GALFAB

Cable hoist systems for roll off containers, engineered for contractor and municipal hauling with heavy duty construction, smooth operation and long term durability.



LOADMASTER

Rear loader refuse bodies for commercial and municipal collection, engineered for rugged construction, efficient compaction and dependable performance on demanding daily routes.



KANN

Rear load and front load refuse bodies engineered for commercial and municipal refuse collection programs, offering robust construction, efficient compaction and dependable performance in daily service.



AMERICAN ROLL OFF

Cable hoist systems for roll off containers, designed for municipal and contractor hauling with straightforward operation, rugged construction and long term reliability.



MARATHON

Stationary and self contained compactors, for municipal and commercial waste handling, known for rugged construction and long service life.



PALFINGER

Hooklift systems, container carriers, and grapple loaders delivering flexible hauling solutions for contractor and municipal operations.



STELLAR

Hooklift systems and service bodies for interchangeable body hauling and fleet support applications, offering flexible configurations for contractor, utility and municipal operations.




DIG PIG

Hydro excavation and sewer cleaning nozzles, engineered for aggressive cutting, reduced noise and efficient debris removal in demanding applications.



HYDRAFLEX

Hydro excavation and sewer cleaning nozzles, designed to improve efficiency, safety and performance in vacuum truck operations.



KEG

Sewer cleaning nozzles engineered for high performance pipe cleaning, delivering effective blockage removal, durability and consistent results in demanding applications.





ODB

Chassis mounted and trailer mounted vacuum systems for leaf, litter, and catch basin cleanup, delivering reliable performance for municipal maintenance operations.



CUES

Pipeline inspection cameras, robotic crawlers, and sewer inspection systems for industrial and municipal applications, supporting accurate condition assessment and efficient underground asset management.



SONETICS

Wireless communication headsets and crew intercom systems designed for high noise environments, improving safety, coordination and productivity for vacuum truck and field operations.






VAC CON

Combination sewer cleaners, hydro excavators, jet trucks, and trailers engineered for contractor and municipal applications, providing powerful debris removal, efficient operation, and proven reliability.

NEW ENGLAND'S LEADER IN THE REFUSE & ENVIRONMENTAL EQUIPMENT INDUSTRY

Get it done right, the first time



SCAN QR CODE TO LEARN MORE

Sanitary Equipment Co., Inc.

West Haven, CT
25 Industry Drive
West Haven, CT 06516

Walpole, MA
23 Renmar Avenue
Walpole, MA 02081

Phone
203-933-9599

Email
sales@sanitaryequipment.com

www.sanitaryequipment.com