LOADMASTER™

www.loadmaster.org
906.563.9226



Legacy & Legacy-S

LOADMASTER™

Mid-Compaction Rear Loader

The ***Legacy*** and ***Legacy-S*** models have a compaction rate of 800 to 900 pounds per cubic yard. A lighter Loadmaster body on a single rear axle chassis with the pedigree of reliability our customers love. Proudly made in the USA.



906.563.9226



www.loadmaster.org

LOADMASTER™

Lighter Body

Mid-Compaction, Light body for single rear axle chassis. Built with 8 gauge body sides and 7 gauge body floor. Loadmaster reliability and quality available in sizes from 11-25 cubic yards.

Body Access Door

Maintenance is important, we incorporated a large body access door and ladder allowing our customers to safely maintain the hydraulic components behind the ejector at the front of the body.

Dual Clean Out Door Option

One of our most popular options for our rear loaders. Making it easier to clean out behind the ejector and the front of the body. Sealed to prevent liquid leaking from the body.





906.563.9226



LED Lights Standard

Every Loadmaster is equipped with LED lights by default LED technology provides enhanced visibility and superior longevity in a small package.

Super Tough Blades

Loadmaster blades are build to last even on the toughest routes. Sweep blade equipped with a 3/16" T-1 face panel, slide blade equipped with a 7 gauge high tensile face panel. 1/4" T-1 sweep blade liner and 3/16" T-1 slide blade liner available for even more longevity.

Rugged Hopper

3/16" T-1 lower hopper sides, 3/16" T-1 hopper floor standard. 3/16" T-1 hopper floor liner and 1/4" hopper sides and floor available. Abrasion is a huge problem, we've engineered the Legacy to not only be light but be strong using thick abrasion resistant steel to provide incomparable longevity.


Container Lifting Options

Multiple container lifting options available. Everything from carts to dumpsters and in whatever method you prefer 2-10 Reeving Winch, Hydraulic Drum Winch, Clear-Step Kickbar, etc.

www.loadmaster.org

LOADMASTER™

Legacy-S



Dimensional Specifications

1	Available Body Volumes	S 16 yd	S 18 yd	S 20 yd	S 25 yd
2	Height Above Chassis Frame	95 1/2”	95 1/2”	95 1/2”	95 1/2”
3	Depth of Hopper	19”	19”	19”	19”
4	Hopper Below Chassis Frame	25 1/2”	25 1/2”	25 1/2”	25 1/2”
5	Hopper Inside Width	80”	80”	80”	80”
6	Hopper Opening Height	60”	60”	60”	60”
7	Overall Length	221”	238”	249”	271”
8	Overall Width	96”	96”	96”	96”
9	Rear of Body to Rear of Tailgate	81”	81”	81”	81”
10	Approximate Body Weight (lbs.)	12,100	12,300	12,700	13,400
11	Load Sill Below Chassis Frame	2 1/2”	2 1/2”	2 1/2”	2 1/2”
12	Hopper Capacity	3 yd	3 yd	3 yd	3 yd
13	Height Above Frame (With Gate Raised)	174	174	174	174

Standard Material Specifications

Body Sides	8 gauge grade 80
Body Floor	7 gauge
Body Roof	8 gauge grade 80
Floor Longitudinals	3” x 10” x 3/16” boxed channel
Ejector Track channel	1/4” elevated channel
Lower Tailgate Sides	3/16” T-1
Upper Tailgate Sdies	7 gauge in sweep zone 10 gauge above
Hopper Floor	3/16” T-1
Separator Panel	3/16” AR 235 abrasion resistant
Ejector Face Panel	3/16” Grade 50
Ejector Shoes	UHMW main shoes Nylatron GSM yaw and pitch
Sweep Face Panel	3/16” T-1 alloy
Slide Face Panel	7 gauge Grade 80
Slide Blade Shoes	Nylatron NSM

Chassis Recommendations


Body Size	Min. GVWR	Min. Front AWR	Min. Rear AWR	CT	Min. AF
S 16 yd	32,000	9,000	23,000	128”	34”
S 18 yd	32,000	9,000	23,000	140”	34”
S 20 yd	33,000	10,000	23,000	152”	34”
S 25 yd	46,000	10,000	36,000	156”	34”

Legacy S 25 only available on a tandem axle chassis

Loadmaster’s dedication to customer service and satisfaction means we will modify and customize options and features to meet the unique demands of any customer’s route. To learn more about what Loadmaster can do for you, give your local dealership a call.

906.563.9226

Legacy



Dimensional Specifications

1	Available Body Volumes	11 yd	13 yd	16 yd	18 yd	20 yd
2	Height Above Chassis Frame	92”	92”	92”	92”	92”
3	Depth of Hopper	19”	19”	19”	19”	19”
4	Hopper Below Chassis Frame	25 1/2”	25 1/2”	25 1/2”	25 1/2”	25 1/2”
5	Hopper Inside Width	80”	80”	80”	80”	80”
6	Hopper Opening Height	60”	60”	60”	60”	60”
7	Overall Length	193”	213”	236”	251”	266”
8	Overall Width	96”	96”	96”	96”	96”
9	Rear of Body to Rear of Tailgate	81”	81”	81”	81”	81”
10	Approximate Body Weight (lbs.)	10,800	11,200	11,700	12,000	12,400
11	Load Sill Below Chassis Frame	2 1/2”	2 1/2”	2 1/2”	2 1/2”	2 1/2”
12	Hopper Capacity	3 yd	3 yd	3 yd	3 yd	3 yd
13	Height Above Frame (With Gate Raised)	174	174	174	174	174

Standard Material Specifications

Body Sides	8 gauge grade 80
Body Floor	7 gauge
Body Roof	10 gauge grade 80
Floor Longitudinals	3” x 10” x 3/16” boxed channel
Ejector Track channel	1/4” elevated channel
Lower Tailgate Sides	3/16” T-1
Upper Tailgate Sdies	7 gauge in sweep zone
	10 gauge above
Hopper Floor	3/16” T-1
Separator Panel	3/16” AR 235 abrasion resistant
Ejector Face Panel	10 gauge
Ejector Shoes	UHMW main shoes UHMW yaw and pitch
Sweep Face Panel	3/16” T-1 alloy
Slide Face Panel	7 gauge Grade 80
Slide Blade Shoes	Nylatron NSM

Chassis Recommendations

Body Size	Min. GVWR	Min. Front AWR	Min. Rear AWR	CT	Min. AF
11 yd	26,000	8,000	18,000	98”	34”
13 yd	26,000	8,000	18,000	118”	34”
16 yd	32,000	9,000	23,000	140”	34”
18 yd	32,000	9,000	23,000	154”	34”
20 yd	33,000	10,000	23,000	168”	34”

LOADMASTER™

100 9th Ave.
P.O. Box 186
Norway, MI 49870
Proudly made in Norway, Michigan



Loadmaster reserves the right to change specifications without notice and without obligation to install them on units sold. Information published is informational only and shall not be construed to warrant suitability of the unit for any particular purpose as performance may vary with the conditions encountered. Illustrations shown may include optional equipment and accessories, and may not include all standard equipment.

Sanitary Equipment Co., Inc.



NEW ENGLAND'S LEADER IN THE REFUSE & ENVIRONMENTAL EQUIPMENT INDUSTRY

Get it done right, the first time

ABOUT US

Second generation, family owned since 1977, Sanitary Equipment Co. delivers trusted contractor & municipal equipment solutions backed by decades of experience and dedicated customer service.

OUR MISSION

To provide durable, reliable equipment and responsive support so contractors and municipalities can depend on us for the long term.

CONTACT US

West Haven, CT
25 Industry Drive
West Haven, CT 06516

Walpole, MA
23 Renmar Avenue
Walpole, MA 02081

Phone
203-933-9599

Email
sales@sanitaryequipment.com

SCAN QR CODE to learn more

www.sanitaryequipment.com



LABRIE

Automated side loaders, front loaders, and rear loaders equipped with advanced packer systems, engineered for durability, efficiency, and consistent performance in municipal and commercial refuse service.



LEACH

Rear loader refuse bodies designed for commercial and municipal collection, known for durable construction, efficient compaction and reliable performance on daily routes.



GALFAB

Cable hoist systems for roll off containers, engineered for contractor and municipal hauling with heavy duty construction, smooth operation and long term durability.



LOADMASTER

Rear loader refuse bodies for commercial and municipal collection, engineered for rugged construction, efficient compaction and dependable performance on demanding daily routes.



KANN

Rear load and front load refuse bodies engineered for commercial and municipal refuse collection programs, offering robust construction, efficient compaction and dependable performance in daily service.



AMERICAN ROLL OFF

Cable hoist systems for roll off containers, designed for municipal and contractor hauling with straightforward operation, rugged construction and long term reliability.



MARATHON

Stationary and self contained compactors, for municipal and commercial waste handling, known for rugged construction and long service life.



PALFINGER

Hooklift systems, container carriers, and grapple loaders delivering flexible hauling solutions for contractor and municipal operations.



STELLAR

Hooklift systems and service bodies for interchangeable body hauling and fleet support applications, offering flexible configurations for contractor, utility and municipal operations.




DIG PIG

Hydro excavation and sewer cleaning nozzles, engineered for aggressive cutting, reduced noise and efficient debris removal in demanding applications.



HYDRAFLEX

Hydro excavation and sewer cleaning nozzles, designed to improve efficiency, safety and performance in vacuum truck operations.



KEG

Sewer cleaning nozzles engineered for high performance pipe cleaning, delivering effective blockage removal, durability and consistent results in demanding applications.





ODB

Chassis mounted and trailer mounted vacuum systems for leaf, litter, and catch basin cleanup, delivering reliable performance for municipal maintenance operations.



CUES

Pipeline inspection cameras, robotic crawlers, and sewer inspection systems for industrial and municipal applications, supporting accurate condition assessment and efficient underground asset management.



SONETICS

Wireless communication headsets and crew intercom systems designed for high noise environments, improving safety, coordination and productivity for vacuum truck and field operations.






VAC CON

Combination sewer cleaners, hydro excavators, jet trucks, and trailers engineered for contractor and municipal applications, providing powerful debris removal, efficient operation, and proven reliability.

NEW ENGLAND'S LEADER IN THE REFUSE & ENVIRONMENTAL EQUIPMENT INDUSTRY

Get it done right, the first time



SCAN QR CODE TO LEARN MORE

Sanitary Equipment Co., Inc.

West Haven, CT
25 Industry Drive
West Haven, CT 06516

Walpole, MA
23 Renmar Avenue
Walpole, MA 02081

Phone
203-933-9599

Email
sales@sanitaryequipment.com

www.sanitaryequipment.com