

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324



PALFINGER

HOOKLIFT, CABLE HOIST AND CONTAINER DELIVERY UNIT

PREMIER
Truck Sales & Rental Inc.
premiertrucksales.com

PALFINGER.COM

INTRO

PALFINGER is working on a world in which customers are offered top-level sustainable lifting solutions in a responsible manner and with positive impacts on people, the planet, and the Company's success. PALFINGER supports customers worldwide who expect the maximum value and return on investment during the product's life. As a leading technology company, PALFINGER creates added value in response to our customers' challenges. We know that every customer is different, and that is why we designed our product with YOU in mind:

- The Fleet Managers – who want minimal downtime, reliability, and a partner that is easy to do business with
- The Company – that needs optimal cost of ownership and a partner that is only a phone call away
- The Operator – who prioritizes personal safety, needs a customized solution to fit the application and confidence in the machine

With a wide range of container handling solutions, PALFINGER is your one-stop shop for hooklifts, cable hoists and container delivery units (CDU). Holding various patents in both hooklift and cable hoist lines, we are dedicated to innovation and developing safe, reliable and the most advanced products with excellent performance on the job. Whether you need to load or dump materials, transport containers, or change bodies, we understand your needs in various industries: waste, recycling, scrap, demolition, landscaping, construction, municipalities, and more!

**PALFINGER**



HOOKLIFTS



TRAN SOURCE
Truck & Trailer Centers
www.transourcetruks.com

TRAN SOURCE
Truck & Trailer Centers
www.transourcetruks.com

HOOKLIFTS



DUAL HOOK HEIGHTS:

Provides the ability to handle multiple container sizes and capabilities

STATE-OF-THE-ART ENGINEERING:

- The highest weight-to-lift ratio in the industry
- The use of high tensile steel reduces hooklift weight = more payload, increased truck longevity, and reduces fuel costs
- North American Pioneer of the “Z” style frame design
- Secured Advanced Mounting: SAM ensures compliance with the mounting instructions of PALFINGER and the assembling guidelines of the truck producers. Due to its bolted technology and complete corrosion protection, SAM guarantees high quality and increased equipment lifetime. In addition, SAM allows standardized truck mountings within the same workshop or a network of dealers and makes maintenance easier.
 - Mounting without painting, welding, or drilling
 - Standardization of mounting
 - Chassis mountings according to PALFINGER instructions and truck producers' recommendations
 - Interchangeability of the accessories

SAFETY

Two-speed in-cab controls

- Allows the Operator to adjust the speed in a safe and efficient manner
- Increases operator safety by reducing the need to exit the cab while operating the hoist

Soft Stop: hydraulic braking system provides a soft landing after loading and dumping

- Load impacts are avoided to protect the hooklift, container/load, and vehicle

Slide through container catch: mechanical, zero-maintenance, hold-down system

- No need for the driver to get out of the cab to secure the container



PALFINGER

Whichever **PALFINGER** hooklift you choose, you can be sure it will always be the right choice! All models come with the exceptional safety and performance features you have come to expect from **PALFINGER**.



“T” SERIES

	Lift Capacity (lbs)	Hook Height	Optimum Body Lengths	Material	Chassis Axle Configuration	CA/CT Requirements	Min Clean Frame rail Length	Min. F/R Suspension
T 12	12,000	36"	10-14'	A514 (T-1)	Single	84"-108"	141"-160"	6k/13.5k
HT 160	16,000 & 18,000	36"/54"	10-14'	A514 (T-1)	Single	108"-120"	163"-194"	7k/17k
T 22	22,000	54"/61 3/4 "	10'-18'	A514 (T-1)	Single	115"-170"	172"-210"	8k/18k
T 29	29,000	36"/54"/61 3/4"	11'-20'	A514 (T-1)	Single/Tandem	110"-186"	179"-240"	12k/38k
HT 400	40,000	54"/61 3/4 "	14'-22'	A514 (T-1)	Tandem	135"-190"	222"-263"	14k/40k
HT 500	50,000	54"/61 3/4 "	16'-22'	A514 (T-1)	Tandem	185"-195"	263"	18k/46k
HT 660	66,000	54"/61 3/4 "	16'-24'	A514 (T-1)	Tandem	185"-195"	264"-293"	18k/46k

“HAD” SERIES

HAD 185	18,500	36"/54"	10'-14'	A709 (Grade 50)	Single	120-130"	165"	8k/18k
HAD 200	20,000	54"	10-16'	A709 (Grade 50)	Single	120"-140"	165"-187"	8k/18k
HAD 250	25,000	54"	14-18'	A709 (Grade 50)	Single	170"	190"-210"	12k/21k
HAD 300	30,000	61 3/4"	14-18'	A709 (Grade 50)	Single/Tandem	126"-154"	193"-213"	12k/40k

Maximum legal rear overhang is dependent on the length of the container and the design of the rear bumper. Please verify with installer / body builder.

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324