

**Sanitary  
Equipment  
Co., Inc.**

# SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment  
that meets immediate needs  
and exceeds expectations  
for years to come.

## INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT [SANITARYEQUIPMENT.COM](http://SANITARYEQUIPMENT.COM)

25 Industry Dr  
West Haven, CT 06516  
(203) 933-9599

1140 Turnpike St., Unit 3&4  
Stoughton, MA 02072  
(855) 373-7324



## TMAX™ 30K MECHANIC TRUCK

Quality comes standard with the TMAX 30K. The innovative engineering and precision construction make it a workhorse, and the lighter weight delivers increased payload.

But don't let the lighter weight make you think there's a sacrifice in performance and longevity. The TMAX 30K is a proven performer built for years of service. Side packs on the aluminum model are constructed of 1/8" aluminum with highly engineered forming, welding, connecting and supporting techniques to deliver superior tool-carrying capability and extreme corrosion resistance.



# ADDITIONAL INFORMATION

## New Features for 2025 TMAX Models:

- Mounting rails integrated within compartments allow for fully customizable configurations.
- Ease of wiring access with added pre-drilled holes between compartments for seamless wiring installation.
- Easily add a wide range of mechanic service truck accessories, like bale-handle drawer sets and bolt bins for better organization.
- Hydraulic reservoir design features a top-mounted filter for easier maintenance.
- Simplified back-end design minimizes welded holes on the truck body for improved performance.
- Mudflaps positioned to wire guards to avoid interference with exhaust systems.

## Proven Performance:

- Available in either 9', 11', or 13' bodies.
- Stellar's torq-isolator crane support design isolates the crane compartment from the rest of the side pack.
- Lifting stresses are transferred to the stabilizers and box-type subframe, not the compartment doors.
- Aluminum extruded top with drill-free mounting rails make it easy to add a wide range of mechanic service truck accessories.
- Aluminum sidepack and doors reduce weight and corrosion, allowing for more payload and longer life.
- Bodies feature either a 14" steel step bumper or a 21" steel workbench bumper with an integrated full-width long bar storage compartment and vise mounts.
- Roller-type boom support helps center the crane boom when stowing.
- Stainless-steel billet-style hinges have hidden fasteners and a rugged 5/16" stainless-steel rod for years of heavy use.
- Rotating master-lock system for security.
- Exterior mounted light box provides easy mounting for work lights and other accessories while minimizing entry points into the body.
- 3-point compression latches keep weather-stripping tight while allowing easy access.
- Double-panel 1/8" aluminum tailgate with hinged arm brackets provides a stout working surface.
- 250-lb capacity, adjustable divider shelves made of spangled galvanized steel.
- Complete undercoating, with minimum of 6.5 mils of petroleum base material, provides extra protection from corrosion and road debris.
- Easily add a wide range of mechanic service truck accessories.

**Models:**

- TMAX 30K-9
- TMAX 30K-11

# SPECIFICATIONS

## ALUMINUM

---

<b>Applicable Chassis:</b>	14,000 – 22,900 GVWR
<b>Clear Cab to Axle:</b>	60" (152 cm) or 84" (213 cm)
<b>Body Length:</b>	109" (277 cm) or 133" (338 cm)
<b>Compartment Depth:</b>	22" (56 cm)
<b>Floor Width:</b>	50" (127 cm)
<b>Body Width:</b>	94" (239 cm)
<b>Body Height:</b>	<ul style="list-style-type: none"><li>• 44" (112 cm)</li><li>• 52" (132 cm) with or without an 8" (20 cm) drop well for 60" bottle storage</li></ul>
<b>Net Weight:</b>	2,038 – 3,105 lbs (925 – 1,409 kg)

---

## COMPATIBLE CRANES

	Crane Rating	Max. Reach	Max. Capacity	Control Systems
<b>Electric Cranes</b>				
<b>EC3200</b>	11,500 ft-lb	15' (4.57 m)	3,200 lbs (1,451 kg)	Yes
<b>EC4000-16</b>	16,000 ft-lb	16' (4.88 m)	4,000 lbs (1,814 kg)	Yes
<b>EC4000-20</b>	16,000 ft-lb	20' (6.10 m)	4,000 lbs (1,814 kg)	Yes
<b>EC5000</b>	25,000 ft-lb	20' (6.10 m)	5,000 lbs (2,268 kg)	Yes
<b>Electric-Hydraulic Cranes</b>				
<b>3315</b>	11,500 ft-lb	15' (4.57 m)	3,200 lbs (1,451 kg)	CDT™
<b>4421</b>	16,000 ft-lb	21' (6.40 m)	4,000 lbs (1,810 kg)	CDT™
<b>5521</b>	29,500 ft-lb	21' (6.40 m)	5,000 lbs (2,268 kg)	CDT™
<b>6521</b>	35,000 ft-lb	21' (6.40 m)	6,000 lbs (2,722 kg)	CDT™



190 State Street | Garner, Iowa 50438 | | (877) 677-7812

© Stellar. All rights reserved.

**Sanitary  
Equipment  
Co., Inc.**

# SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment  
that meets immediate needs  
and exceeds expectations  
for years to come.

## INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT [SANITARYEQUIPMENT.COM](http://SANITARYEQUIPMENT.COM)

25 Industry Dr  
West Haven, CT 06516  
(203) 933-9599

1140 Turnpike St., Unit 3&4  
Stoughton, MA 02072  
(855) 373-7324