

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324

EFFORTLESSLY EFFICIENT, UNDENIABLY DURABLE.

SINGLE ENGINE COMBINATION MACHINE



969 Hall Park Road | Green Cove Springs, FL 32043 | USA
PHONE (904) 284-4200 | FAX (904) 284-3305
www.vac-con.com | vns@vac-con.com

A subsidiary of Holden Industries, Inc., Vac-Con is a 100% employee-owned company.
©2016 Vac-Con, all rights reserved.



GET THE JOB DONE WITH
ONE OF THE INDUSTRY'S
MOST SOUGHT
AFTER MACHINES.

**SOME COMPONENTS SHOWN ARE NON-STANDARD.*

AS SHOWN:

- 1. 180° Articulating Hose Reel, 600 ft. x 1 in.
- 2. Omnibus™ Precision Power
- 3. Automatic Level Wind Guide
- 4. Cross-Linked Polyethylene Water Tanks
- 5. Lazy Susan Pipe Rack
- 6. Debris Body Dump Station
- 7. Hydro-Excavation Package
- 8. 50 ft. Retractable Low Pressure Handgun Hose Reel
- 9. Aluminum Tool Boxes

- 10. Corten® Steel Debris Tank
- 11. External Load Level Indicator
- 12. Positive Seal Vacuum Breaker
- 13. 10 ft. Telescopic Boom
- 14. Hinged Boom Tie Down
- 15. Rear Door with Hydraulic Door Locks
- 16. Strobe Lighting & Arrow Board
- 17. Water Pump with Suction Strainer
- 18. Wear Back Boom Elbow



FLAT REAR DOOR:

- 19. 6 in. Knife Valve
- 20. Hydraulic Opening Rear Door with Wedge-Style Locks
- 21. Arrow Stick Lighting
- 22. Hydraulic Pump Off

OPTIONS

- A. Omnibus™ Precision Power
- B. PD Blower
- C. Wireless Remote
- D. Mainframe Deck Coating
- E Hydro-Excavation Package
- F. Safety Light Packages
- G. 3yd to 16yd Debris Tank
- H. 500 to 1500 gal. Water Capacity
- I. Hi-Dump

Consult Factory/Dealer for Additional Options



Flat Rear Door

Flat-style rear door features a 6 in. Knife Valve, Arrow Stick Lighting, and Pump Off.




Omnibus™ Precision Power

The Omnibus Precision Power Control System provides complete control of machine functions from one centralized location, all with real-time diagnostics that simplifies the job and required maintenance.



PD Blower

PD Blower with multiple ratings up to 27" Hg and 5,775 CFM.



Vac-Con-Stage Fan

Vac•Con's intake and fan housing results in a more balanced airflow, decreasing turbulence and allowing for more power, less noise and more reliability.



Wireless Remote

An integrated, enhanced control system that vastly improves usability and efficiency.

POWERFULLY PRECISE, SUPERIOR PERFORMANCE. DUAL ENGINE COMBINATION MACHINE



969 Hall Park Road | Green Cove Springs, FL 32043 | USA
PHONE (904) 284-4200 | FAX (904) 284-3305
www.vac-con.com | vns@vac-con.com

A subsidiary of Holden Industries, Inc.,
Vac-Con is a 100% employee-owned company.
©2016 Vac-Con, all rights reserved.



TOUGH, INNOVATIVE, AND EFFICIENT
- DESIGN YOUR DUAL ENGINE
COMBINATION MACHINE TO MEET
ALL YOUR NEEDS.

*SOME COMPONENTS SHOWN ARE NON-STANDARD.

AS SHOWN:



- 1. 180° Articulating Hose Reel, 600 ft. x 1 in.
- 2. Omnibus™ Precision Power
- 3. Manual Level Wind Guide
- 4. Cross-Linked Polyethylene Water Tanks
- 5. Diesel Auxiliary Engine
- 6. 3-Stage Fan with Centrifugal Separator
- 7. Hydraulic Reservoir
- 8. Aluminum Tool Boxes
- 9. Positive Seal Vacuum Breaker
- 10. 10 ft. Telescopic Boom with 270°Rotation
- 11. Hinged Boom Tie Down
- 12. Debris Body Dump Controls
- 13. Corten® Steel Debris Tank
- 14. External Load Level Indicator
- 15. Lateral Line Cleaning Kit
- 16. Water Pump with Suction Strainer

REAR DOOR:

- 17. 5 in. Butterfly Decant Valve
- 18. Full-Opening Rear Door with Hydraulic Locks
- 19. Splash Shield
- 20. Arrow Stick Lighting
- 21. Hydraulic Pump Off
- 22. Strobe Light

OPTIONS

- A. Omnibus™ Precision Power
 - B. PD Blower
 - C. Wireless Remote
 - D. Mainframe Deck Coating
 - E. Hydro-Excavation Package
 - F. Safety Light Packages
 - G. 5yd to 16yd Debris Tank
 - H. 500 to 1500 gal. Water Capacity
 - I. Hi-Dump
- Consult Factory/Dealer for Additional Options



Rear Door

Operator friendly rear door features 5 in. Butterfly Decant Valve, Hydraulic Locks, and Splash Shield.



Omnibus™ Precision Power

The Omnibus Precision Power Control System provides complete control of machine functions from one centralized location, all with real-time diagnostics.



PD Blower

PD Blower with multiple ratings up to 27" Hg and 5,775 CFM.



Wireless Remote

An integrated, enhanced control system that vastly improves usability and efficiency.

**Sanitary
Equipment
Co., Inc.**

SALES PARTS SERVICE

DO IT RIGHT THE FIRST TIME

Committed to delivering equipment
that meets immediate needs
and exceeds expectations
for years to come.

INDUSTRY LEADING EQUIPMENT



SHOP OEM PARTS AT SANITARYEQUIPMENT.COM

25 Industry Dr
West Haven, CT 06516
(203) 933-9599

1140 Turnpike St., Unit 3&4
Stoughton, MA 02072
(855) 373-7324